

Table 3F-3. Prediversion and Point-of-Reference Habitat Acreages for LADWP Diverted Streams

Habitat Type	Rush Creek			Lee Vining Creek			Parker Creek			Walker Creek			Total All Creeks		
	Prediversion	Point of Reference	Change	Prediversion	Point of Reference	Change	Prediversion	Point of Reference	Change	Prediversion	Point of Reference	Change	Prediversion	Point of Reference	Change
Riparian conifer forest	1.3	1.4	+0.1	17.9	16.4	-1.3	0.0	0.0	0.0	0.0	0.0	0.0	19.2	17.8	-1.4
Conifer-broadleaf forest	18.4	2.6	-12.8	34.5	27.8	-6.7	1.1	1.4	+0.3	0.5	0.6	+0.1	51.5	32.4	-19.1
Cottonwood-willow woodland	159.9	24.4	-135.5	60.9	15.0	-45.9	0.1	0.2	+0.1	0.0	0.2	+0.2	220.9	39.8	-181.1
Aspen woodland	4.4	4.2	-0.2	6.7	5.6	-1.1	0.2	0.2	0.0	1.3	1.3	0.0	12.6	11.3	-1.3
Riparian willow scrub	79.9	120.6	+40.7	10.3	15.7	+5.4	54.2	44.6	-9.7	42.4	26.2	-16.2	186.8	207.1	+20.3
Mixed riparian scrub	11.7	58.3	+46.6	0.2	6.3	+6.1	2.8	2.8	0.0	5.6	14.6	+9.0	20.3	82.0	+61.7
Unvegetated floodplain	61.0	186.0	+125.0	19.5	60.7	+41.2	6.1	6.1	0.0	5.1	18.0	+12.9	91.7	270.9	+179.1
Montane meadow	131.2	39.8	-91.4	43.5	32.3	-11.2	232.4	241.5	+9.1	181.2	188.0	+6.8	591.0	499.0	-92.0
Great Basin scrub	<u>447.7</u>	<u>550.4</u>	<u>+102.7</u>	<u>123.4</u>	<u>179.3</u>	<u>+55.9</u>	<u>77.5</u>	<u>77.5</u>	<u>0.0</u>	<u>125.6</u>	<u>112.5</u>	<u>-13.1</u>	<u>776.0</u>	<u>918.6</u>	<u>+142.6</u>
Total acres	915.5	987.7	+75.2	316.9	359.1	+42.4	374.4	374.3	-0.2	361.7	361.4	-0.3	1,970.0	2,078.9	+108.8