

Copyright 1985

by Peter Vorster

A Water Balance Forecast
Model for Mono Lake, California

By
Peter Vorster

Approved:

Date:

TABLE OF CONTENTS

| | |
|---|------|
| Foreword | xiii |
| Abbreviations | xvii |
| Conversion Factors | xxi |
| Introduction | 1 |
| Chapter I: Background | |
| Environmental Setting | 4 |
| Mono Basin | 4 |
| Location | |
| Topography | |
| Geology | |
| Climate | |
| Hydrology | |
| Soils | |
| Vegetation | |
| Mono Lake | 17 |
| Fluctuations | |
| Water Balance Theory | 23 |
| Model Development | 26 |
| Formulation | |
| Calibration | |
| Verification | |
| Application | |
| Previous Mono Lake Water Balance Models | 38 |
| Chapter II: The Mono Lake Water Balance Model | |
| Formulation | 48 |
| Free Body | 48 |
| Time Interval | 49 |
| Base Period | 49 |
| Precipitation | 54 |
| Mono Lake Precipitation | |
| Net Land Surface Precipitation | |
| Runoff | 65 |
| Sierra Nevada Gaged Runoff | |
| Ungaged Sierra Runoff | |
| Non-Sierra Runoff | |

| | |
|---|-----|
| Evaporation | 85 |
| Mono Lake Evaporation | |
| Net Grant Lake Reservoir Evaporation | |
| Bare Ground Evaporation | |
| Evapotranspiration | 104 |
| Riparian Evapotranspiration | |
| i. Acreage | |
| ii. Rate | |
| Irrigated Land Evapotranspiration | |
| i. Acreage | |
| ii. Rate | |
| Phreatophyte Evapotranspiration Above 6428 ft | |
| i. Acreage | |
| ii. Rate | |
| Phreatophyte Evapotranspiration Below 6428 ft | |
| i. Acreage | |
| ii. Rate | |
| Diversions | 124 |
| Virginia Creek Inflow | |
| Net Municipal Inflow | |
| i. June Lake Loop | |
| ii. Lee Vining | |
| iii. Mono City | |
| iv. Other Residents | |
| Surface Water Export | |
| Groundwater Export | |
| Storage Changes | 137 |
| Soil Water Storage Change | |
| Grant Lake Reservoir Storage Change | |
| Groundwater Storage Change | |
| Mono Lake Storage Change | |
| Error Analysis | 157 |
| The Formulated Model | 168 |
| Calibration | 169 |
| Procedure | 177 |
| Verification | 177 |
| Chapter III: Application of the Water Balance Model | |
| Application 1: Historic (1937-83) Lake Levels Assuming the LADWP Aqueduct Facilities Were Never Built | 192 |
| Purpose | |
| Assumptions | |
| Results | |
| Comparison to Previous Results | |

| | |
|---|-----|
| Application 2: Future Lake Levels and Salinity With 1937-83 Hydroclimatic Conditions | 198 |
| Purpose | |
| Assumptions | |
| Application 2A: Future Levels Using the Sequence of Hydroclimatic Conditions in the Order They Actually Occurred | 205 |
| Purpose | |
| Assumptions | |
| Results | |
| Comparison to Previous Results | |
| Application 2B: Future Levels Using the Sequence of 1937-83 Hydroclimatic Conditions With the 1947-64 Conditions Occurring First | 210 |
| Purpose | |
| Assumptions | |
| Results | |
| Application 2C: Future Level Using the 1937-83 Average Hydroclimatic Conditions in Each Year of the Forecast | 211 |
| Purpose | |
| Assumptions | |
| Results | |
| Comparison to Previous Results | |
| Application 2D: Future Salinities Using the Sequence of 1937-83 Hydroclimatic Conditions | 224 |
| Purpose | |
| Assumptions | |
| Results | |
| Comparison to Previous Results | |
| Application 3: Sensitivity of Future Levels to Errors or Changes in Component Variables | 230 |
| Purpose | |
| Assumptions | |
| Results | |
| Chapter IV: Conclusions | |
| Summary of Model Development and Results | 238 |
| Usefulness of the Model | 243 |
| Suggested Future Research | 244 |

| | |
|---|-----|
| Appendix I: Reference Information | 249 |
| A. Climatic Measurement Sites | 251 |
| B. Stage/Area/Volume Relationship | 262 |
| C. Stage/Salinity Relationship | 267 |
| D. Statistical Distribution of Runoff Index | 267 |
| E. Computer Usage | 270 |
| | |
| Appendix II: Supporting Material Used to Derive Components | |
| A. Derivation of Isohyetal Map | 271 |
| B. Methodology for Thornthwaite Soil Moisture Balance | 278 |
| C. Bare Ground Evaporation Rates | 283 |
| D. Methodology to Determine Acreage of Phreatophytes Below 6428 ft | 286 |
| | |
| Appendix III: Climatic Data From Simis Station | |
| A. Evaporation Measurements | 304 |
| B. Other Climatic Data from Simis Station | 308 |
| | |
| Appendix IV: Historical Geography of the Mono Basin | 312 |
| A. Human Development of the Mono Basin | 315 |
| B. Irrigation History | 320 |
| | |
| Appendix V: Terminal Lakes | |
| A. General Description | 320 |
| B. Water Balances at Other Terminal Lakes | 326 |
| | |
| References Cited | 332 |

LIST OF FIGURES

| | | |
|-------------|--|-----|
| Figure 1-1 | Location Maps | 5 |
| Figure 1-2 | Elevations | 8 |
| Figure 1-3 | Geology | 9 |
| Figure 1-4 | Mono Groundwater Basin | 11 |
| Figure 1-5 | Monthly Temperature Characteristics of the Simis Climate Station | 13 |
| Figure 1-6 | Surface Fluctuations of Mono Lake, 1850-Present | 21 |
| Figure 1-7 | Schematic Diagram for Development of Lake Level Forecast Model | 27 |
| Figure 2-1 | Comparison of Monthly Percentage of Mean Annual Precipitation (M.A.P.) | 54a |
| Figure 2-2 | Relationship of Precipitation to Elevation and Distance From the Sierra Nevada Crest | 56 |
| Figure 2-3 | Average Annual Precipitation | 57 |
| Figure 2-4 | Comparison of Average Monthly Actual and Unimpaired Runoff | 68 |
| Figure 2-5 | Gaging Station and Runoff Areas | 69 |
| Figure 2-6 | Approximate Relationships of Precipitation to Elevation and Runoff for Gaged Watersheds | 81 |
| Figure 2-7 | Phreatophyte Distribution | 105 |
| Figure 2-8 | Graph and Table for Determining Blaney-Criddle "K" Coefficient | 110 |
| Figure 2-9 | Diversions | 125 |
| Figure 2-10 | Conceptual Diagram of Groundwater Storage Change | 142 |
| Figure 2-11 | Schematic Diagram of Component Derivation.. a) Precipitation b) Runoff c) Evaporation d) Evapotranspiration e) Diversions f) Storage Changes | 146 |
| Figure 2-12 | Mono Basin Water Balance | 164 |
| Figure 2-13 | Annual Inflow, 1937-83 | 165 |
| Figure 2-14 | Annual Outflow, 1937-83 | 166 |
| Figure 2-15 | Annual Storage Changes, Excluding Mono Lake, 1937-83 | 167 |
| Figure 2-16 | Comparison of Observed and Calculated Lake Levels (Model Verification) | 180 |
| Figure 2-17 | Comparison of Observed Lake Levels and Those Calculated by Model Calibrated with 1937-83 Data | 186 |
| Figure 3-1 | Flow Diagram of Forecast Procedure | 193 |
| Figure 3-2 | 1937-83 Observed and Reconstructed Lake Levels Without LADWP Export | 197 |
| Figure 3-3 | Lake Level Fluctuations' 1985-2031 for Exports of 0, 30, 50 and 100 Thousand ac-ft/yr With Actual Sequence of 1937-83 Hydroclimatic Conditions | 207 |
| Figure 3-4 | Lake Level Fluctuations, 1985-2454, for Exports of 0, 30, 50 and 100 Thousand ac-ft/yr With Repetition of 1937-83 Hydroclimatic Conditions | 208 |

| | | |
|---------------|---|-----|
| Figure 3-5 | Comparison of Lake Level Fluctuations, 1985-2031, Using 1937-83 Hydroclimatic Conditions With Initial Sequence Above Normal (1937-46) and Initial Sequence Below Normal (1947-64) | 212 |
| | a) 0 ac-ft/yr Export | |
| | b) 30,000 ac-ft/yr Export | |
| | c) 50,000 ac-ft/yr Export | |
| | d) 100,000 ac-ft/yr Export | |
| Figure 3-6 | Lake Level Fluctuations, 1985-2454, for Exports of 0, 30, 50 and 1100 Thousand ac-ft/yr, Using the Average 1937-83 Hydroclimatic Conditions | 217 |
| Figure 3-7 | Equilibrium Lake Level as a Function of LADWP Surface Water Exports | 218 |
| Figure 3-8 | Average Annual Inflows to Mono Groundwater Basin Required to Maintain Different Average Lake Levels | 220 |
| Figure 3-9 | Comparison of Equilibrium Lake Level as a Function of LADWP Exports for Five Different Forecast Models | 222 |
| Figure 3-10 | Comparison of Equilibrium Lake Levels for LADWP (1984a,d) Models and our Model | 223 |
| Figure 3-11 | Projected Salinity Fluctuations Using 1937-83 Hydroclimatic Conditions With Initial Wet Sequence (1937-46) and Initial Dry Sequence (1947-64) | 226 |
| | a) 0 ac-ft/yr Export | |
| | b) 30,000 ac-ft/yr Export | |
| | c) 50,000 ac-ft/yr Export | |
| | d) 100,000 ac-ft/yr Export | |
| Figure 3-12 | Projected Long-Term Salinity Fluctuations, 1985-2454, With Repetition of 1937-83 Hydroclimatic Conditions, For Exports of 0, 30, 50 and 100 Thousand ac-ft/yr | 231 |
| Figure 3-13 | Sensitivity of Forecasted Lake Levels to Changes in Component Values | 233 |
| | a) evaporation index | |
| | b) runoff index | |
| | c) arbitrary 1000 ac-ft error | |
| Figure 3-14 | Sensitivity of Equilibrium Level to Changes in Component Values as a Function of Export | 235 |
| Figure 4-1 | Inflows and Outflows to the Mono Groundwater Basin in 1975 Water Year | 240 |
| Figure 4-2 | Comparison of Current and Projected Lake Levels, Areas, and Volumes | 242 |
| Figure A 1-1 | Climatic Measurement Sites | 250 |
| Figure A 1-2A | Stage/Area Curve | 259 |
| Figure A 1-2B | Stage/Volume Curve | 260 |
| Figure A 1-3 | Stage/Salinity Curve | 266 |

| | | |
|--------------|--|-----|
| Figure A 1-4 | Distribution of the Natural Runoff Index | 268 |
| | a) Arithmetic-Normal Plot | |
| | b) Log-Normal Plot | |
| Figure A 2-1 | Approximate Relationships of Precipitation to Elevation East of the Sierra Nevada Crest | 276 |
| Figure A 2-2 | Phreatophyte Sites and Vegetation Transects on Exposed Lake Bottom | 290 |
| Figure A 2-3 | Vegetation Transects on Exposed Lake Bottom | 291 |
| | a) Gull Bath Beach | |
| | b) West Shore | |
| | c) Lee Vining Creek Tufa | |
| | d) Navy Beach | |

LIST OF TABLES

| | | |
|------------|---|-----|
| Table 1-1 | Principal Topographic Provinces of the Mono Basin | 7 |
| Table 1-2 | Comparison of Previous Mono Lake Water Balance Models | 39 |
| Table 2-1 | Mono Basin Gaging Stations | 51 |
| Table 2-2 | Comparison of Average Annual Mono Lake Precipitation Rate | 60 |
| Table 2-3 | Reservoirs in the Mono Basin | 67 |
| Table 2-4 | Runoff Characteristics of the Gaged Watersheds | 71 |
| Table 2-5 | Comparison of Average Annual Runoff from Currently Gaged Sierra Nevada Watersheds | 72 |
| Table 2-6 | Quartiles and Extreme Values of the 1937-83 Annual Runoff Values | 75 |
| Table 2-7 | Comparison of Estimates of Average Annual Runoff From Ungaged Sierra Nevada and Non-Sierra Watersheds | 77 |
| Table 2-8 | Estimated Runoff from Ungaged Sierra Nevada Watersheds Using Precip./Runoff Method | 83 |
| Table 2-9 | Comparison of Estimated Mono Lake Evaporation Rates | 89 |
| Table 2-10 | Potential Evapotranspiration in the Mono Groundwater Basin | 107 |
| Table 2-11 | Current Municipal Use | 132 |
| Table 2-12 | Assumptions Used to Derive Component Values | 153 |
| Table 2-13 | Range of Random Error in Estimating Water Balance Components | 155 |
| Table 2-14 | Magnitude of Component Error | 156 |
| Table 2-15 | Water Balance Model of the Mono Groundwater Basin | 159 |
| Table 2-16 | Comparison of 1957-83 and 1937-83 Hydroclimatic Statistics | 171 |
| Table 2-17 | Factors That May Explain Systematic Component Error | 172 |
| Table 2-18 | Multiple Regression Statistics for 1957-83 g-Factor Equation | 173 |
| Table 2-19 | Multiple Regression Statistics for 1957-83 2-Factor Equation | 173 |
| Table 2-20 | Comparison of Observed and Sequentially Calculated Lake Levels: 1937-56 | 178 |
| Table 2-21 | Comparison of Observed and Year-to-Year Calculated Lake Levels: 1937-56 | 179 |
| Table 2-22 | Comparison of Observed and Sequentially Calculated Lake Levels Using the Uncalibrated Model: 1937-56 | 182 |
| Table 2-23 | Comparison of Observed and Sequentially Calculated Lake Levels Using g-Factor Equation | 183 |
| Table 2-24 | Multiple Regression Statistics for 1937-83 2-Factor Equation | 173 |

| | | |
|------------|---|------|
| Table 2-25 | Results of Calibration and Verification Tests 1 | 186a |
| Table 3-1 | Comparison of 1937-83 Observed and Calculated Lake Levels Assuming No Aqueduct Facilities Were Built | 196 |
| Table 3-2 | Comparison of Different Models' Calculated Lake Levels Assuming No Export by LADWP | 199 |
| Table 4-1 | Recommendations to Improve Accuracy of Component Estimates | 246 |
| Table A1-1 | Planimetered Lake Basin Areas | 252 |
| Table A1-2 | Stage/Area/Volume Relationship | 254 |
| Table A1-3 | Comparison of Stage/Area/Volume Relationship Derived by this Study and LADWP | 261 |
| Table A1-4 | Stage/Salinity Relationship | 263 |
| Table A2-1 | Precipitation Stations Used in Isohyetal Map | 272 |
| Table A2-2 | Average April 1 Water Content and Annual Precipitation at Snow Courses and Aerial Markers Used in Isohyetal Map | 274 |
| Table A2-3 | Sample Soil Water Balance Calculation Non-Sierra Bedrock Area, 12.5" to 15" Precipitation Zone | 279 |
| Table A2-4 | Estimate of Yield from Mono Groundwater Basin and Non-Sierra Watersheds by Modified Thornthwaite Methodology | 282 |
| Table A2-5 | Phreatophyte Sites and Acreages on the Exposed Lake Bottom | 296 |
| Table A3-1 | Evaporation Measurements from Simis Station a) 1980 b) 1981 c) 1982 d) 1983 | 304 |
| Table A3-2 | Climatic Measurements at Simis Station a) 1980 b) 1981 c) 1982 d) 1983 | 308 |
| Table A5-1 | Analysis of Terminal Lake Water Balance Models | 327 |